

## Publikationsliste 2010 - 2020

Besser M, Dietrich M, Weber L, Rembe JD, Stuermer EK. Efficiency of antiseptics in a novel 3-dimensional human plasma biofilm model (hpBIOM), Sci Rep 2020; 16:10:4792; <https://doi.org/10.1038/s41598-020-61728-2>

Rembe JD, Boehm J, Fromm-Dornieden C, Hauer N, Stuermer EK. Comprehensive analysis of zinc derivatives pro-proliferative, anti-apoptotic and antimicrobial effect on human fibroblasts and keratinocytes in a simulated, nutrient-deficient environment *in vitro*. Intern J Mol Cell Med 2020; [Epub ahead of print]

Plattfaut I, Demir E, Fuchs PC, Schiefer JL, Bruening AKE, Stuermer EK, Oplaender C. The impact of non-toxic blue light (453 nm) on cellular antioxidative capacity, TGF- $\beta$ 1 signaling, and myofibrogenesis of human skin fibroblasts. J Photochem Photobiol 2020; [Epub ahead of print]

Besser M, Terberger J, Koester V, Ghebremedhin B, Naumova EA, Arnold WH, Stuermer EK. Impact of probiotics on pathogen survival in an innovative human plasma biofilm model (hpBIOM). J Trans Med 2019; 17: 243-252

Stuermer EK, Besser M, Terberger N, Bachmann HS, Severing AL. Side effects of frequently used antihypertensive drugs at wound healing *in-vitro*. Skin Pharmacol Physiol 2019; 32: 162-172

Stuermer EK, Besser M, Terberger N, Koester V, Bachmann HS, Severing AL. Side effects of frequently used oral antidiabetics on wound healing *in-vitro*. Naunyn Schmiedebergs Arch Pharmacol. 2019; 392: 371-380.

Severing AL, Rembe JD, Koester V, Stuermer EK. Safety and efficacy profiles of different commercial sodium hypochlorite/hypochlorous acid solutions (NaClO/HClO): antimicrobial efficacy, cytotoxic impact and physicochemical parameters *in vitro*. J Antimicrob Chemother. 2019; 74: 365-372.

Rembe JD, Berek J, Pieper D, Stuermer EK. Biologic wound fluid profiles and biomarkers in acute and chronic wounds - a systematic review and meta-analysis. Prospero registration No. CRD42018095745 <https://www.crd.york.ac.uk/PROSPERO>

Besser M, Khosravani M, Severing, AL, Rembe JD, Stuermer EK. Acute and chronic wound fluid inversely influence wound healing in an *in-vitro* 3D wound model. J Tissue Rep Regen 2018; 1: ISSN: 2640-6403

Rembe JD, Fromm-Dornieden C, Boehm JK, Stuermer EK. The influence of human acute wound fluid (AWF) on the antibacterial efficacy of different antiseptic polyurethane foam dressings: an *in-vitro* analysis. Wound Repair Regen. 2018; 26: 27-35

Froehlich M, Schaefer N, Caspers M, Boehm JK, Stuermer EK, Bouillon, B, Maegele M. Temporal phenotyping of circulating microparticles after trauma: a prospective cohort study. Scand J Trauma Resusc Emerg Med 2018; 26: 33-39

Rembe JD, Fromm-Dornieden C, Stuermer EK. Effects of vitamin B complex and vitamin C on human skin cells: Is the perceived effect measurable? Adv Skin Wound Care. 2018; 31: 225-233.

Masur K, Schmidt J, Stürmer EK, Pedersen A, v. Woedtke T. Kalte Plasmen zur Heilung chronischer Wunden. Wundmanagement 2018; 12: 9-15

Rembe JD, Fromm-Dornieden C, Böhm J, Stuermer EK: Der Einfluss von humanem Wundexsudat auf die antibakterielle Wirksamkeit verschiedener antiseptischer Polyurethan-Schaumstoffauflagen: eine *in-vitro*-Analyse. Wundmanagement 2018; 12: 24-30

Wahabzada M, BesserM, Khosravani M, Kuska M, Kersting K, Mahlein AK, Stuermer EK. Monitoring Wound Healing in a 3D Wound Model by Hyperspectral Imaging and Efficient Clustering. PlosOne 2017 Dec 7; 12: e0186425.

Balvers K, van Dieren S, Baksaas-Aasen K, Gaarder C, Brohi K, Eaglestone S, Stanworth S, Johansson PI, Ostrowski SR, Stensballe J, Maegele M, Goslings JC, Bergman R, Naess PA, Kolstadbråten KM, Rourke C, Gall L, Curry N, Stuermer EK, Schaefer N, Driessen A, Orr A, Schubert A, Goerlinger K, Harrison M, Buchanan J, Char A, Neble S, Sayel H, Juffermans NP. Combined effect of therapeutic strategies for bleeding injury on early survival, transfusion needs and correction of coagulopathy. *Br J Surg.* 2017; 104: 222-229

Albrecht V, Stuermer EK, Driessen A, Schäfer N, Schenk M, Betsche L, Maegele M. Variations in infrastructure, logistics and clinical practice for the detection and management of trauma associated haemorrhage and coagulopathy across trauma centres in Germany. *Eur J Trauma Emerg Surg.* 2017; 43: 201-214.

Schaefer N, Driessen A, Bauerfeind U, Froehlich M, Ofir J, Stuermer EK, Maegele M. In vitro effects of different sources of fibrinogen supplementation on clot initiation and stability in a model of dilutional coagulopathy. *Transfus Med.* 2016; 26: 373-380.

Rembe JD, Böhm JK, Fromm-Dornieden C, Schäfer N, Stuermer EK. Comparing two polymeric biguanides: chemical distinction, antiseptic efficacy and cytotoxicity of polyaminopropyl biguanide and polyhexamethylene biguanide. *J Med Microbiol.* 2016; 65: 867-876.

Driessen A, Fröhlich M, Schäfer N, Mutschler M, Defosse J, Brockamp T, Bouillon B, Stürmer EK, Lefering R, Maegele M & Trauma Registry of the DGU. Prehospital volume resuscitation--Did evidence defeat the crystalloid dogma? An analysis of the TraumaRegister DGU® 2002-2012. *Scand J Trauma Resusc Emerg Med.* 2016; 24: 42-47.

Rembe JD, Böhm JK, Fromm-Dornieden C, Schäfer N, Maegele M, Fröhlich M, Stuermer EK. Erratum to: Comparison of hemostatic dressings for superficial wounds using a new spectrophotometric coagulation assay. *J Transl Med.* 2016; 14: 218

Schäfer N, Driessen A, Fröhlich M, Stürmer EK, Maegele M and TACTIC partners. Diversity in clinical management and protocols for the treatment of bleeding trauma patients across European level I Trauma Centres. *Scand J Trauma Resusc Emerg Med.* 2015; 23: 74-81.

Rembe JD, Böhm JK, Fromm-Dornieden C, Schäfer N, Maegele M, Fröhlich M, Stuermer EK. Comparison of hemostatic dressings for superficial wounds using a new spectrophotometric coagulation assay. *J Transl Med* 2015; 13, 375-381

Koenen P, Spanholtz TA, Maegele M, Stuermer EK, Brockamp T, Neugebauer E, Thamm OC. Acute and chronic wound fluids inversely influence adipose-derived stem cell function: molecular insights into impaired wound healing. *Int Wound J* 2015; 12: 10-16.

Fromm-Dornieden C, Rembe JD, Schäfer N, Böhm J, Stuermer EK. Cetylpyridinium chloride (CPC) and Miramistin (MST) as antiseptic substances in chronic wound management - prospects and limitations. *J Med Microbiol.* 2015; 64: 407-14.

Driessen A, Schäfer N, Bauerfeind U, Kaske S, Fromm-Dornieden C, Stuermer EK, Maegele M. Functional capacity of reconstituted blood in 1:1:1 versus 3:1:1 ratios: A thrombelastometry study. *Scand J Trauma Resusc Emerg Med.* 2015; 23: 2-11

Stuermer EK, Lipenksy A, Thamm O, Neugebauer EA, Schaefer N, Fuchs P, Bouillon B, Koenen P. Homing of adipose derived stem cells: The role of SDF-1 in human ASC migration and gene regulation. *WRR* 2015; 23: 82-89.

Maegele M, Braun M, Wafaisade A, Schaefer N, Lippert-Gruener M, Kreipke C, Rafols J, Schaefer U, Angelov DN, Stuermer EK. Long-term Effects of Enriched Environment on Neurofunctional Outcome and CNS lesion volume after traumatic brain injury in rats. *Physiol Research* 2015; 64: 129-45.

Stuermer EK, Komrakova M, Tezval M, Dullin C, Stuermer KM, Schmelz U, Doell C, Durkaya-Burchhardt N, Fuerst B, Genotte T, Sehmisch S,. Evaluation of twelve vibration regimes to improve spine properties in ovariectomized rats. *Bone Reports* 2017; 7: 172-180

Schäfer N, Driessen A, Fröhlich M, Stuermer EK, Maegele M & TACTIC partners. Diversity in clinical management and protocols for the treatment of major bleeding trauma patients across European level I Trauma Centres. *Scand J Trauma Res Emerg Med.* 2015; 23: 74-80.

Stuermer EK, Komrakova M, Sehmisch S, Tezval M, Dullin C, Schaefer N, Hallecker J, Stuermer KM. Whole body vibration during fracture healing intensifies the effects of estradiol and raloxifene in osteoporotic rats. *Bone* 2014; 64: 187-194.

Maegele M, Stuermer EK, Hoeffgen A, Uhlenkueken U, Schaefer N, Lippert-Gruener M, Schaefer U, Hoehn M. Multimodal MR imaging of acute and chronic experimental traumatic brain injury: Time course and correlation with cerebral energy metabolites. *Acta Radiol Short Rep.* 2015; 6: 4-12.

Stuermer EK, Sehmisch S, Komrakova M, Tezval M, Stuermer KM. Raloxifene supports early fracture healing more than estrogen in ovariectomized rats. *Osteology* 2013; 22: 290-297.

Fromm-Dornieden C, Gorovtsov A, Schaefer N, Stuermer EK. Comparing the growth inhibition rate of modern antiseptics on Escherichia coli, Staphylococcus aureus and Pseudomonas aeruginosa with a view to their use for infected wounds. *Fundamental Research* 2013; 10: 321-327.

Thamm OC, Stuermer EK, Zinser MJ, Panagiotis T, Neugebauer EA, Fuchs PC, Koenen P. Adipose derived stem cells and keratinocytes in a chronic wound cell culture model: The role of hydroxyectoine. *Int Wound J.* 2015; 12: 387-96.

Komrakova M, Sehmisch S, Tezval M, Ammon J, Lieberwirth P, Sauerhoff C, Trautmann L, Wicke M, Dullin C, Stuermer KM, Stuermer EK. Identification of vibration regime favorable for bone healing and muscle in estrogen deficient rats. *Calcif Tissue Int.* 2013; 92: 509-520.

Frosch KH, Voss M, Walde T, Balcarek P, Ferlemann K, Wachowski M, Stuermer EK, Stürmer KM. A minimally invasive dorsal approach to the medial femoral condyle as a donor site for osteochondral transfer procedures. *Oper Orthop Traumatol.* 2010; 22: 212-220.

Stuermer EK, Komrakova M, Sturm A, Schmelz, U, Tezval M, Stuermer KM, Sehmisch S: Is parathyroid hormone application with less frequency efficient as daily treatment for amelioration of osteopenic spine properties? *Open Bone J* 2012; 4: 20-26.

Komrakova M, Sehmisch S, Tezval M, Schmelz U, Frauendorf H, Grueger T, Wessling T, Klein C, Birth M, Stuermer KM, Stuermer EK: Impact of 4-methylbenzylidene camphor (4-MBC), daidzein and estrogen on intact and osteotomized bone in osteopenic rats. *J Endocrinol* 2012; 211: 157-68

Tezval M, Serferaz G, Rack T, Kolios L, Sehmisch S, Schmelz U, Tezval H, Stuermer KM, Stuermer EK: Effect of parathyroid hormone on hypogonadism induced bone loss of proximal femur of orchietomized rat. *World J Urol.* 2011; 29: 529-534.

Histing T, Garcia P, Holstein JH, Klein M, Matthys R, Nuetzi R, Steck R, Laschke M, Wehner T, Bindl R, Recknagel S, Stuermer EK, Vollmar B, Wildemann B, Lienau J, Willie B, Peters A, Ignatius A, Pohleemann T, Claes L, Menger MD: Small animal fracture models: standards, tips, and pitfalls results of a consensus meeting. *Bone* 2011; 49: 591-599

Tezval M, Banhardt A, Sehmisch S, Kolios L, Schmelz U, Stuermer KM, Stuermer EK: The effects of parathyroid hormone applied at different regimes on the trochanteric region of the femur in ovariectomized rat model of osteoporosis. *J Osteoporos Metab Dis.* 2011; 36: 3617-3623.

Komrakova M, Krischek C, Wicke M, Sehmisch S, Tezval M, Rohrberg M, Brandsch T, Stuermer KM, Stuermer EK: Influence of intermittent administration of parathyroid hormone on muscle tissue and bone healing in orchietomized rats or controls. *J Endocrinol.* 2011; 209: 9-19.

Tezval M, Biblis M, Sehmisch S, Schmelz U, Kolios L, Rack T, Stuermer KM, Stuermer EK: Improvement of femoral bone quality after low-magnitude, high-frequency mechanical stimulation in the ovariectomized rat as an osteopenia model. *Calcif Tissue Int.* 2011; 88: 33-40.

Stuermer EK, Komrakova M, Werner C, Wicke M, Kolios L, Sehmisch S, Tezval M, Daub F, Martens T, Witzenhausen P, Dullin C, Stuermer KM: Effect of human parathyroid hormone hPTH (1-34) applied at different regimes on fracture healing and muscle in ovariectomized and healthy rats. *Bone.* 2010; 47: 480-492.

Stuermer EK, Komrakova M, Werner C, Wicke M, Kolios L, Sehmisch S, Tezval M, Uttesch C, Mangal O, Zimmer S, Dullin C, Stuermer KM: Musculoskeletal response to whole-body vibration during fracture healing in intact and ovariectomized rats. *Calcif Tissue Int.* 2010; 87:168-180.

Tezval M, Sehmisch S, Seidlova-Wuttke D, Wuttke W, Stuermer KM, Stuermer EK: Short term changes of histomorphometric and biomechanical properties of the proximal femur of ovariectomized rat after treatment with phytoestrogens: Genistein and Equol. *Planta Med.* 2010; 76:235-240.

Kolios L, Daub F, Sehmisch S, Frosch KH, Tezval M, Stuermer KM, Wuttke W, Stuermer EK: Absence of positive effect of black cohosh (*Cimicifuga racemosa*) on fracture healing in osteopenic rodent model. *Phytother Res.* 2010; 24: 1796-1806

Tezval M, Sehmisch S, Seidlová-Wuttke D, Rack T, Kolios L, Wuttke W, Stuermer KM, Stuermer EK: Changes in the Histomorphometric and Biomechanical Properties of the Proximal Femur of Ovariectomized Rat after Treatment with the Phytoestrogens Genistein and Equol. *Planta Med.* 2010; 76: 235-240.

Tezval M, Stuermer EK, Sehmisch S, Rack T, Stary A, Stebener M, Konietzschke F, Stuermer KM: Improvement of trochanteric bone quality in an osteoporosis model after short-term treatment with parathyroid hormone: a new mechanical test for trochanteric region of rat femur. *Osteoporos Int.* 2010; 21: 251-261.

Sehmisch S, Uffenorde J, Maehlmeyer S, Tezval M, Jarry H, Stuermer KM, Stuermer EK: Evaluation of bone quality and quantity in osteoporotic mice - The effects of genistein and equol. *Phytomedicine.* 2010; 17: 424-430.

Kolios L, Hoerster A.K, Sehmisch S, Malcherek MC, Rack T, Tezval M, Seidlova-Wuttke D, Wuttke W, Stuermer KM, Stuermer EK: Do estrogen and alendronate improve metaphyseal fracture healing when applied as osteoporosis prophylaxis? *Calcif Tissue Int.* 2010; 86: 23-32.

Frosch KH, Voss M, Walde T, Balcarek P, Ferlemann K, Wachowski M, Stuermer EK, Stuermer KM: A minimally invasive dorsal approach to the medial femoral condyle as a donor site for osteochondral transfer procedures. *Oper Orthop Traumatol.* 2010; 22: 212-220.

Kolios L, Schumann J, Sehmisch S, Rack T, Tezval M, Seidlova-Wuttke D, Frosch KH, Stuermer KM, Stuermer EK: Effects of Black Cohosh (*Cimicifuga racemosa*) and estrogen on metaphyseal fracture healing in the early stage of osteoporosis in ovariectomized rats. *Planta Med.* 2010; 76: 850-857.

Kolios L, Striepling E, Kolios G, Rudolf KD, Dresing K, Dörges J, Stürmer KM, Stuermer EK: The nitric acid burn trauma of the skin. *J Plast Reconstr Aesthet Surg.* 2010; 63:e358-363.

Kolios L, Kolios G, Beyersdorff M, Dumont C, Stromps J, Freytag S, Stuermer EK: Cost analysis of topical negative pressure (TNP) therapy for traumatic acquired wounds. *Ger Med Sci* 2010; 15: 8-13.

Stuermer EK, Sehmisch S, Rack T, Tezval M, Seidlova-Wuttke D, Beuchert L, Schumann J, Wenda E, Wuttke W, Stuermer KM: Bone healing in the metaphyseal osteoporotic bone in rat. Stimulation by estrogen and raloxifene. *Langenbecks Arch Surg.* 2010; 396: 163-172.

Sehmisch S, Erren M, Kolios L, Tezval M, Rack T, Seidlova-Wuttke D, Wuttke W, Stuermer KM, Stuermer EK: Effects of isoflavones equol and genistein on bone quality in the rat osteopenia model. *Phytother Res.* 2010; 24 Suppl 2:S 168-74.

Tezval M, Stuermer EK, Sehmisch S, Seidlova-Wuttke D, Wuttke W, Stuermer KM: Improvement of trochanteric bone quality in an osteoporosis model after short-term treatment with parathyroid hormone and estradiol. A new mechanical test for trochanteric region of rat femur. *Osteoporos Int.* 2010; 21: 251-261

Sehmisch S, Erren M, Tezval M, Rack T, Seidlova-Wuttke D, Wuttke W, Stuermer KM, Stuermer EK: A new biomechanical test for intact rat lumbar vertebral bodies to study antiosteoporotic drugs. Short term effects of parathyroid hormone on rat lumbar vertebrae. *Spine (Phila. Pa 1976)* 2009; 34: 2014-2021.

Stuermer EK, Sehmisch S, Frosch KH, Rack T, Dumont C, Tezval M, Stuermer KM: The elastic bridge plating of the forearm fracture. A prospective study. *Eur J Trauma* 2009; 35: 147-152.

Drengk A, Zapf A, Stuermer EK, Stürmer KM, Frosch KH. Influence of platelet-rich plasma on chondrogenic differentiation and proliferation of chondrocytes and mesenchymal stem cells. *Cells Tissues Organs.* 2009; 189: 317-26.

Sehmisch S, Galal R, Kolios L, Tezval M, Dullin C, Zimmer S, Stuermer KM, Stuermer EK: Effects of low-magnitude, high-frequency mechanical stimulation in the rat osteopenia model. *Osteoporos Int* 2009; 20: 1999-2008.

Sehmisch S, Dullin C, Tezval M, Schmelz U, Seidlova-Wuttke D, Rack T, Dunkelberg H, Wuttke W, Marten K, Stuermer KM, Stuermer EK: The use of flat panel volumetric computertomography (fpVCT) in osteoporosis research. *Academic Radiology* 2009; 16: 394-400.

Stuermer EK, Sehmisch S, Tezval M, Tezval H, Rack T, Boekhoff J, Wuttke W, Herrmann TR, Seidlova-Wuttke D, Stuermer KM: Effect of testosterone, raloxifene and estrogen replacement on the microstructure and biomechanics of metaphyseal osteoporotic bones in orchiectomized male rats. *World J Urol* 2009; 27: 547-555.

Tezval M, Tezval H, Dresing K, Stuermer EK, Blaschke M, Stuermer KM, Siggelkow H: Differentiation dependent expression of urocortin's mRNA and peptide in human osteoprogenitor cells: influence of BMP-2, TGF-beta-1 and dexamethasone. *J Mol Histol* 2009; 40: 331-341